


COVID19 SET

FACTORIES AND PRODUCTS INTRODUCTION



SARS-COV-2 ANTIBODY TEST



HAND SANITIZER



EXAMINATION GLOVES

DISPOSABLE HAIRNETS



3PLY DISPOSABLE MASK



PILLOW CASE





Mask Factory Introduction

This factory has been named one of the TOP 3 manufacturers and brand owners in Wound Care Industry in China. Now we rank first for sales of adhesive bandage, wound dressing, medical tape and cotton balls in China, annually we produce more than 4 billion pieces of adhesive bandages. Furthermore, as the pioneer of adhesive bandages with cartoon theme in China and won the exclusive authorization of using Tom & Jerry Logo and Superman Logo in Chinese market from Warner Bros.

In 2004 we established our brand and so far our products have covered more than 160,000 pharmacies in China. Here are the main products: adhesive bandage, disposable masks, medical I.V. adhesive dressing, medical tape, sterile wound dressing, medical sterilized cotton balls/pads/swabs, first-aid kit, HCG test strip, condoms, warm patch, cool patch, fever cooling patch, elastic bandage, gauze bandage, disinfectant

The factory group was founded in 2004 and now has more than 20 subsidiary corporations. The headquarter is located Shandong, China. Our factory covers an area of 220,000 square meters with super geographical position and convenient transportation.

We have a dozen up-to-date factories, multiple Class 100,000 cleanrooms, modern logistics and storage facilities, advanced production facilities and detecting instruments. More than 2,000 professional staffs devote themselves to their job and the development of the company, a lot of them are experts, professors and licensed pharmacists from Chinese Pharmaceutical Association as well as the State Council. We also have technology support and cooperation of many research institutions and companies from USA, Germany and Taiwan, China.



3PLY Disposable Mask

Technical specification:

- Disposable
- Breathable
- Light and environment-friendly
- Elastic ear loop with dual point attachment helps provide a secure seal
- Adjustable nosepiece for extra comfort.
- 1 x melt blown 25GSM + 2 x nonwoven 25GSM
- PFE: $\geq 90\%$
- BFE: $\geq 95\%$

Size:

Universal fit. 17.5cm x 9.5cm

Packaging:

10 pieces / Bag

200 bags / carton

Printed according to the country to export regulations.

Certification :

FDA, Surgical Mask CE MDD




3 PLY reference's schedules

From your order to your warehouse



9 days



13 days



17 days

These delivery times are given as an indication and by airplane, we will customize your schedules as soon as we receive your requirements.

Number of pieces per bag	10
Number of bags per carton box	200
Size of the carton box	73.5*47*31 cm
Growth weight of 1 carton	8,45 kg

Number of pcs/ container 40HQ

1 024 000 pcs

Kn95 particulate respirator

Technical specification:

- Color: White or Blue
- Material : 2 x melt blown 25GSM + 2 x nonwoven 38GSM
- NIOSH test report filtration efficiency above 98% + particle penetration above 1,02% + initial airflow resistance (mm H2O) above 6,6

Size:

Universal fit. 14.5 x 13cm

Packaging:

- 1 pieces / Bag
- 200 bags / cartons
- Printed according to the country to export regulations.


Certification :

FDA, NIOSH N95 Test Report, GB2626



KN95 reference's schedules

From your order to your warehouse



These delivery times are given as an indication and by airplane, we will customize your schedules as soon as we receive your requirements.

Number of pieces per bag	1
Number of bags per carton box	200
Size of the carton box	34 x 20.5 x 22.5cm
Growth weight of 1 carton	1,88 kg

Number of pcs/ container 40HQ

846 000 pcs

Thermometer Factory Introduction

Established in 2002, the factory are a fast growing Hi-Tech electronic manufacturer with a primary focus on designing and manufacturing home-care medical instruments.

Her innovative and technological excellence supports production of high quality devices such as electronic thermometers, infrared and forehead thermometers, blood glucose monitoring systems, blood pressure monitors, and other customer-designed home-care and mother and baby care products. As a main supplier of health care products in China, has built a loyal reputation on quality, innovation, and service to its customers all over the world.

All products are designed by his internal R&D Department and manufactured under ISO 13485 standards; to meet European CE and U.S. FDA certifications. As a company that designs and engineers its product with very little outsourcing, has the ability to offer quality medical instruments to the consumer at substantially lower prices than its competitors





Factory Pictures

Forehead Thermometer

Size:

153x41x44mm

Weight:

84 grams with batteries

Battery:

DC3V(2×AAA battery)

Packaging:

1 piece / color box

50 pieces / carton

Certification:

FDA, CE MDD, CE EMC, Product Registration, License
Registration, QMS, Factory Profile



Forehead Thermometer

Technical data


Key point:

- To measure Forehead temperature and Object temperature
- Touch and non touch use-Optional
- 10 memory
- Backlight-Optional
- Result Indicator
- Fever alarm / Low battery indicator
- Auto shut-off / Fast result in 1 seconds
- Dual Scale, switchable



Technical specification:

- Display resolution : 0.1°C or 0.1°F
- Measure time: Approximately 1 second
- Operating temperature range: Forehead/Object mode: 10°C~40°C (50°F~104°F), 15%~85%RH, non-condensing Atmospheric Pressure: 800hPa ~ 1060hPa
- Measuring range: Forehead mode: 34.0°C~43.0°C (93.2°F~109.4°F) Object mode: 0°C~100°C (32°F~212°F) Room temperature: 0°C~50°C (32°F~122°F)
- Laboratory accuracy : Forehead mode: $\pm 0.2^{\circ}\text{C}$ (0.4°F) during 35.5°C~42.0°C (95.9°F~107.6°F) at 15°C~35°C (59.0°F~95.0°F) operating temperature range $\pm 0.3^{\circ}\text{C}$ (0.5°F) for other measuring and operating temperature range
- Object mode: $\pm 4^{\circ}\text{C}$ or $\pm 2^{\circ}\text{C}$ (4°F) whichever is greater
- Room temperature: $\pm 2^{\circ}\text{C}$ ($\pm 4^{\circ}\text{F}$)
- Operating temperature range: Forehead/Object mode: 10°C~40°C (50°F~104°F), 15%~85%RH, non-condensing Atmospheric Pressure: 800hPa ~ 1060hPa
- Clinical accuracy: Clinical bias: 0.1°C (0.2°F) Clinical repeatability: 0.22°C (0.4°F) Limits of agreement: 1.02°C (1.84°F)




Forehead Thermometer :

From your order to your warehouse



9 days



13 days



30 days

These delivery times are given as an indication and by airplane, we will customize your schedules as soon as we receive your requirements.

Number of pieces per gift box	1
Number of bags per carton box	100
Size of the carton box	54,5*49*38 cm
Growth weight of 1 carton	13,5 kg

Number of pcs/ container 40HQ

58 000 pcs

Hand Sanitizer

(75% alcohol or alcohol free)



Technical specification:

- Alcohol-free or 75% alcohol
- Non-latex glove compatible
- Tabletop pump bottle

Size:

- 60ml
- 75ml
- 250ml
- 300ml
- 500ml

Packaging:

- Depends on the capacity
- Printed according to the country to export regulations.


Certification :

GMP, MSDS




Hand sanitizer reference's schedules :


From your order to your warehouse



7 days



11 days



19 days

These delivery times are given as an indication and by airplane, we will customize your schedules as soon as we receive your requirements.

	300ml	500ml
Number of bags per carton box	30	200
Size of the carton box	41 x 35 x 19cm	73.5*47*31 cm
Growth weight of 1 carton	9,71 kg	8,45 kg

300ml	Number of pcs/ container 40HQ	60 000 pcs
500ml	Number of pcs/ container 40HQ	38 400 pcs

Medical Safety Glasses

Material:

- Frame: PC
- Lens: PC

Technical:

- High impact
- Anti-scratch
- Anti-fog
- Anti-virus

Packaging:

1 piece / opp bag
200 pieces / carton

Certification:

Meet with CE EN166 and ANSI Z87.1 standard



Medical Safety Glasses

Material:

- Frame: PC
- Lens: Acetate

Technical:

- High impact
- Anti-scratches
- Anti-fog
- Anti-virus
- Totally enclosed

Packaging:

1 piece / opp bag
150 pieces / carton

Certification:

Meet with CE EN166 and ANSI Z87.1 standard



Medical Safety Glasses

Material:

- Frame: Nylon
- Lens: PC

Technical:

- High impact
- Anti-scratches
- Anti-fog
- Anti-virus

Packaging:

1 piece / opp bag
150 pieces / carton

Certification:

Meet with CE EN166 and ANSI Z87.1 standard



SMS Isolation gown



Technical specification:

- Disposable gown that features elastic cuffs
- With waist and neck ties
- Blue
- 30gsm
- SMS

Size:

Universal fit. 120 x 137 cm

Packaging:

100 pieces / carton

Printed according to the
country to export regulations.

Certification :

CE



Examination Gloves

Technical specification:

- Nitrile gloves
- Powder free
- 3,5gr or 4gr

Size:

S, M, L

Packaging:

- 100 pieces / Box
- 10 boxes / cartons.

Certification :

EN455, EN374



Disposable Hairnets

Technical specification:

10gsm Non-woven PP

Size:

54 cm (21'')

Packaging:

- 100 pieces / PE bag
- 20 PE bag / cartons.

Certification :

CE



Disposable Shoe Cover

Technical specification:

35gsm Non-woven PP

Size:

17 x 41 cm

Packaging:

- 100 pieces / PE bag
- 20 PE bag / cartons.

Certification :

CE



COVID-19 Nucleic Acid Detection

Technical specification:

This kit is designed for invitro qualitative detection of the novel coronavirus genome open reading frame 1ab(ORF1ab) gene and the N gene of Nucleocapsid protein.

Sample types include pharynx swabs, nasal swabs, sputum and alveolar lavage fluid samples. This kit can be used for auxiliary diagnosis and epidemiological surveillance of the SARS-CoV-2 infection.

(for more information, please refer to the product data sheet)

Size:

Inner box Size: 8.9*5.8*6.6cm

Packaging:

1 kit / 50 pcs

Certification :

CE-98/79/EC



Disposable wipes

Technical specification:

- 75% alcohol Wipes
- 45gsm
- 80%polyester / 20%voiscose plain
- Spun lace nonwoven

Size:

15 x 20 CM

Packaging:

60 pcs / pack

24 packs / cartons

Certification :

BSCI,CE,FDA,GMP



ICU protection clothing

Technical specification:

- Elasticated wrists, ankles and face, hooded coverall.
- Longer zipper extends to nose for complete protection.
- High gram-weight composite nonwovens (SMS) of 78g/m²
- Soft, lightweight and good air permeability

Size:

S to XXXL

Packaging:

25 pieces / carton

Printed according to the country to export regulations.

Certification :

- CE, FDA
- ASTM F1670-98 Test Method for Penetration Resistance of Synthetic Blood
- ASTM F1671-97A Test Method for Penetration of Bloodborne Pathogens
- ASTM F903-1999 Test Method for Liquid Penetration of Protective



Medical protective Overall

Technical specification:

- High gram-weight composite nonwovens (SMS) of 68g/m²
- Lightweight and good air permeability

Size:

S to XXXL

Packaging:

25 pieces / carton

Printed according to the country to export regulations.

Certification :

- CE, FDA
- ASTM F1670-98 Test Method for Penetration Resistance of Synthetic Blood
- ASTM F1671-97A Test Method for Penetration of Bloodborne Pathogens
- ASTM F903-1999 Test Method for Liquid Penetration of Protective



Pillow Case

Technical specification:

1ply 18 paper + 1ply 15gsm PE

Size:

20x29 inch

Packaging:

100 pieces / carton

Certification :

CE, FDA



Flat sheet

Technical specification:

1ply 23gsm paper + 1ply 17gsm PE

Size:

100 x 210 cm

Packaging:

25 pieces / bag

4 bags / carton

Certification :

CE, FDA



Under-pad

Technical specification:

- Non-woven
- Fluff
- Tissue
- PE film

Size:

60 x 60 cm

Packaging:

200 pieces / carton

Certification :

CE, FDA



SARS-CoV-2 ANTIBODY TEST

(Lateral Flow Method)

- An auxiliary test for the diagnosis of coronavirus infection disease (COVID-19)
- Easy to use, instant result in 15 minutes





SARS-CoV-2 ANTIBODY TEST

(Lateral Flow Method)



The first Officially Approved Product in China
for SARS-CoV-2 Antibody Rapid Test



CONTACTS

E-mail: d.antipin@businessexpansion.me

WhatsApp: +7 (913) 775-59-99